



* All images are for illustrative purposes only.

OUTDOOR LG LED SIGNAGE

GSCC Essential Series



Fast Assembly



Easy Maintenance



Customizable
Screen Ratio



90° Corner Design
Available



IP Rated
Weatherproof Design




Front or Rear
Serviceability




Customizable Screen Ratio

Cabinets of the GSCC series can be assembled to configure any screen size including the 16:9, 8:9 and 4:3 screen ratio. This enables customers to apply LED Screens according to installation sites.




Fast Assembly and Easy Maintenance

The fast lock helps LED modules be simply set up or dismantled. Separate power and control unit design also facilitates easy maintenance.



Front or Rear Serviceability

The product offers either front access or rear access, allowing customers to choose installation options according to their environment and minimizes limitations in installation and maintenance.



90° Corner Design Available

If you add a 90° corner option, the GSCC series can deliver flawless content even when installed on the corners.



IP Rated Weatherproof Design

The front and back of the cabinet are IP65 certified, allowing stable operation unaffected by weather and harmful outdoor environments.

PRODUCT INFORMATION




GSCC Series

Pixel Pitch	6.66 / 8.00 / 16.00 mm
Brightness	5,000 / 8,000 (P16) nit
Cabinet Weight	17.0 / 18.5 (P16) kg
Serviceability	Front or Rear (One Option Only)
IP Rating	IP65

DIMENSION

(unit: mm)



Download
LG C-Display+
Mobile App
Google Play Store

www.lg.com/global/business/information-display
www.youtube.com/c/LGCommercialDisplay
www.facebook.com/LGInformationDisplay
www.linkedin.com/company/lginformationdisplay
twitter.com/LG_ID_HQ

LG may make changes to specifications and product descriptions without notice.
Copyright © 2020 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.