

OUTDOOR LG LED SIGNAGE

LBS-V Premium Slim Series



Outstanding Visibility



Smooth Playback in Dynamic Motion



16-bit Color Processing



Reliable Weatherproof Design



Front and Rear Serviceability



Slim and Lightweight Design



Outstanding Visibility

Offering a 6,000nits, this super-bright display excels outdoors even in direct sunlight, instantly captivating attention and effectively delivering content.



Smooth Playback in Dynamic Motion

A high refresh rate of 4,000Hz assures the smooth playback of content. The flicker-free image prevents the black bars that occur from video shooting, as well as eye strain and blurred vision in viewers.



Detailed Expression of Color Depth

16-bit color processing provides a higher greyscale level, which seamlessly displays different depths and densities of colors without distortion, thereby giving a more realistic and sophisticated content.




Reliable Weatherproof Design

The front and rear of the unit case are both IP66-certified, allowing stable operation unaffected by weather and harmful outdoor environments.



Front and Rear Serviceability

The display offers both front access and rear access, allowing customers to choose according to their installation environment and minimizing limitations in installation and maintenance.



Slim and Lightweight Design

A 1m² LED display weighs only 31.3kg, keeping a full set of screens lightweight and reducing strain on the structure holding them.

PRODUCT INFORMATION



LBS-V Series

Pixel Pitch	6.25 / 8.33 / 10.00 mm
Brightness	6,000 nit
Refresh Rate	4,000 Hz
Serviceability	Front and Rear
IP Rating (Front / Rear)	IP66

DIMENSION

(unit: mm)

